





800 SERIES RANGES ELECTRIC STATIC OVEN RANGES

PE12G4S28-X. PE24G2S28-X



Standard features and benefits

- 2 kW cast iron solid plates
- · Heavy duty welded stainless steel body for rigidity and durability
- · Stainless steel fascia and sides, spill zone and drip trays for ease of cleaning
- · Fully welded surrounds for griddle
- The flexible modular cooktop design allows for various combinations of hot plates and griddle (305, 610 and 910mm)
- · Large, heat resistant reinforced control knob with easy to view settings and 6 heat position switch
- Ergonomic door handle and angled corners create a sleek look
- · Heating ON indicator lights
- Adjustable legs 140-170mm
- · Easy to service, all parts are accessible from the front of the unit

Oven

- 100°C 280°C thermostatic control
- Oven and door are fully insulated with vitreous enamel for even heat distribution and easy cleaning
- GN 1/1 capacity with 3 position racking
- Heavy duty chrome wire rack supports designed for easy removal

Griddle plate

- 12mm thick mild steel griddle plate
- 6 kW heating elements per every 305mm section
- Thermostat control 50 300 °C as standard

Other options

- Black front control panel
- Electric Fan Forced or Convection Oven
- Chrome or ribbed griddle plates













Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice













800 SERIES RANGES


ELECTRIC STATIC OVEN RANGES











PE6S28-X

PE12G4S28-X

PE24G2S28-X

PE36G28-X

outlet connector (400V/50HZ+N+PE)

Dimensions (WxI	DxH)	914 x 800 x 1120 mm
Working height		914 mm
Oven size (WxDx	(H)	700 x 560 x 305 mm
Oven Rack Positi	ons	3
	PE12G4S	28-X 289 x 520 x 12 mm
Griddle size	PE24G2S	28-X 605 x 520 x 12 mm
	PE36G28	-X 910 x 520 x 12 mm

Electrical connection	1 40	OV/50HZ+N+PE
	PE6S28-X	19
Datin	PE12G4S28-X	20.5
Rating	PE24G2S28-X	22.5
	PE36G28-X	24.5
Packed dimensions	980 x	900 x 1200 mm

NSTALLATION CLEARANCES (minimum)

Combustible	Sides	50 mm
Material	Back	50 mm

Non-combustible	Sides	0 mm
Material	Back	0 mm

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.

HEAD OFFICE AND MANUFACTURING PLANT VIC - TAS 47 Stubbs Street, Kensington

U12, 210 Queensport Rd Nth, Murarrie

QLD 4172

U2, 9 Meares Way, Canning Vale

WA 6155

v1_2025 1800 013 123 +61 2 9604 7333 sales@middleby.com.au middleby.com.au








800 SERIES RANGES

ELECTRIC OVEN RANGES

700 mm OVEN OPTIONS



Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.

PEC36G28-X

Electric Convection Oven



690 x 410 x 320

914 x 900 x 1120

27.9